



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY OF COMMERCE AND
COMMISSIONER OF PATENTS AND TRADEMARKS
P.O. Box 1450
Alexandria, VA 22313-1450

January 8, 2009

**ROPES & GRAY LLP
PATENT DOCKETING 39/361
1211 AVENUE OF THE AMERICAS
NEW YORK NY 10036-8704**

Patent No. : 7,445,010 B2
Inventor(s) : Chad J. Kugler, et al.
Issued : November 4, 2008
For **USE OF MAGNETIC IMPLANTS TO TREAT
ISSUE STRUCTURES**
Doc. No. 787/006

To Whom It May Concern:

The Certificate of Correction issued on January 6, 2009, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

In the issued certificate of correction, the correction to change the title should have also been listed to be incorporated at Column 1, lines 1 and 2. A superseding cofc will be issued to include the change of the title to occur at Column 1, lines 1 and 2.

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on a *copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson
(703) 308-9390 ext. 111
For Mary F. Diggs, Supervisor
Decisions & Certificates of Correction Branch
(703) 305-8309 / 703-308-9390 ext. 125